

In the Claims:

Please cancel claims 1-31, without prejudice.

1 32. A tissue anchor comprising:

- 2 a. an elongate tube having a central bore, a distal end and a proximal end,
3 wherein said tube has at least one aperture adjacent said distal end;
4 b. an elongate member having a portion sized for receipt and axial movement in
5 said central bore between a first position and a second position, wherein said
6 elongate member includes a longitudinal axis and at least one anchor
7 member attached to said portion; and
8 c. wherein said at least one anchor member is configured and positioned so
9 that when said portion is in said first position said at least one anchor
10 member is at least partially received in said elongate tube and when said
11 portion is in said second position said at least one anchor member projects
12 through said at least one aperture and extends transversely relative to said
13 longitudinal axis.

1 33. A tissue anchor according to claim 32, further wherein said elongate tube has an
2 outside diameter ranging from 0.5mm to 12mm.

1 34. A tissue anchor according to claim 32, wherein said outside diameter ranges from
2 1mm to 3mm.

1 35. A tissue anchor according to claim 32, wherein said at least one anchor member
2 includes four anchor members.

1 36. A tissue anchor according to claim 32, wherein said at least one anchor member
2 has a curved configuration when said portion is in said second position.

Please cancel claims 37-64, without prejudice.

Please add the following as new claims 65-97:

02 1 65. (New) A tissue anchor according to claim 35, wherein said at least one aperture
2 includes four apertures, with one aperture being associated with each anchor
3 member.

1 66. (New) A tissue anchor according to claim 65, wherein each anchor member projects
2 from its associated aperture when the elongate member is in its first position.

58 1 67. (New) A tissue anchor according to claim 32, wherein said at least one anchor
C1172 member includes a barb adjacent an end thereof.

3 1 68. (New) A tissue anchor according to claim 32, wherein the distal end of the elongate
3 tube is adapted to be advanced into a volume of tissue to position the at least one
anchor member for stabilizing deployment into the tissue.

1 69. (New) A tissue anchor according to claim 68, wherein the distal end of the elongate
2 tube is closed, said at least one aperture being spaced proximally from the distal
3 end.

1 70. (New) A tissue anchor according to claim 69, wherein said at least one anchor
3 member extends distally beyond a distal end of the elongate member when the
elongate member is in its first position.

1 71. (New) A tissue anchor according to claim 70, wherein said at least one anchor
2 member is curved when in an unbiased state.

1 72. (New) A tissue anchor according to claim 71, wherein said at least one anchor
2 member is in its unbiased state when the elongate member is in its second position.

1 73. (New) A tissue anchor according to claim 71, wherein said at least one anchor
2 member curves proximally when the elongate member is in its second position.

1 74. (New) A tissue anchor according to claim 32, wherein said portion of the elongate
2 member is sized for a close sliding fit within the central bore of the elongate tube.

1 75. (New) A tissue anchor for stabilizing a tissue mass for surgical excision, comprising:

2 a. an elongate tube having a distal end adapted to be advanced into the tissue
3 mass, a central bore, a wall, and a plurality of apertures extending through
4 the wall;

5 b. a manually controllable actuator carried by the elongate tube and being
6 moveable with respect to the elongate tube between a first position and a
7 second position; and

8 c. a plurality of manually deployable anchor members, with one anchor member
9 being associated with each aperture of the elongate tube, each of the anchor
10 members being operatively connected to the actuator such that each anchor
11 member assumes a retracted position when the actuator is in its first position
12 and each anchor assumes an extended position when the actuator is in its
13 second position, each anchor member in its retracted position having a major
14 portion received within the central bore of the elongate tube, each anchor
15 member in its extended position projecting outwardly from its associated
16 aperture and assuming a curved configuration to facilitate stabilization of the
17 tissue mass.

1 76. (New) A tissue anchor according to claim 75, wherein the apertures of the elongate
2 tube are spaced proximally of the distal end.

1 77. (New) A tissue anchor according to claim 75, wherein the actuator comprises an
2 elongate member sized for a close sliding fit within the central bore of the elongate
3 tube.

1 78. (New) A tissue anchor according to claim 77, wherein the actuator further comprises
2 a ring carried adjacent a proximal end of the elongate member.

1 79. (New) A tissue anchor according to claim 75, wherein the actuator further comprises
2 a stop, the stop cooperating with the elongate tube to limit movement of the
3 elongate member with respect to the elongate tube, thereby defining the second
4 position of the actuator.

1 80. (New) A tissue anchor according to claim 75, wherein the actuator comprises an
2 elongate member slidably received within the central bore of the elongate tube,
3 each of the anchor means being attached to the elongate member for movement
4 therewith.

1 81. (New) A tissue anchor according to claim 80, wherein the elongate member is
2 moved distally as the actuator moves from its first position to its second position.

1 82. (New) A tissue anchor according to claim 75, wherein each anchor member projects
2 from its associated aperture when the actuator is in its first position.

1 83. (New) A tissue anchor for stabilizing a tissue mass for surgical excision, comprising:
2 a. an elongate tube having a closed distal end, a central bore, a wall, and four
3 apertures extending through the wall;
4 b. a rod having a manually engageable ring adjacent its proximal end and a
5 length which is slidably received in the central bore of the elongate tube, the
6 rod being moveable distally with respect to the elongate tube from a first
7 position to a second position; and
8 c. four anchor members, with one anchor member being associated with each
9 aperture of the elongate tube, each of the anchor members being connected
10 to the rod for movement therewith such that each anchor member assumes a
11 retracted position when the rod is in its first position and each anchor
12 member assumes an extended position when the rod is in its second
13 position, each anchor member in its retracted position having a majority of its
14 length received within the central bore of the elongate tube, each anchor
15 member in its extended position projecting outwardly from its associated

aperture and assuming a curved configuration to facilitate stabilization of the tissue mass.

1 84. (New) A tissue anchor according to claim 83, wherein the apertures of the elongate
2 tube are spaced proximally of the distal end.

1 85. (New) A tissue anchor according to claim 83, wherein the rod further comprises a
2 stop, the stop cooperating with the elongate tube to limit movement of the rod with
3 respect to the elongate tube, thereby defining the second position of the rod.

1 86. (New) A tissue anchor according to claim 83, wherein the anchor members are
2 attached to the rod and extend distally beyond a distal end of the rod.

1 87. (New) A tissue anchor according to claim 83, wherein a small portion of each
2 anchor member projects from its associated aperture when the rod is in its first
3 position.

1 88. (New) A method of stabilizing a tissue mass using the tissue anchor of claim 83,
2 comprising:

- 3 a. with the rod in its first position, advancing the distal end of the elongate tube
4 into the tissue mass;
5 b. thereafter, advancing the rod distally to its second position, thereby forcing
6 the anchor members outwardly from the elongate tube and into the tissue
7 mass to stabilize the tissue mass.

1 89. (New) A method according to claim 88, further comprising drawing the tissue anchor
2 proximally after the anchor members are deployed in the tissue mass to apply
3 tension to the tissue mass.

1 90. (New) A method according to claim 88, further comprising leaning the elongate tube
2 and the elongate rod after the anchor members are deployed in the tissue mass to
3 facilitate surgical removal of the tissue mass.

1 91. (New) A method of removing a tissue mass from a tissue using the tissue anchor of
2 claim 83, comprising:

- 3 a. with the anchor members in their retracted positions, advancing the distal
4 end of the elongate tube into the tissue mass;
5 b. thereafter, advancing the rod distally to its second position, thereby forcing
6 the anchor members outwardly from the elongate tube and into the tissue
7 mass;
8 c. thereafter, stabilizing the tissue mass with the tissue anchor while cutting the
9 tissue; and
10 d. removing the tissue mass.

1 92. (New) A tissue anchor for stabilizing a tissue mass for surgical excision, comprising:

- 2 a. an elongate tube having a distal end, a central bore, a wall, and four
3 apertures extending through the wall, the elongate tube being manually
4 graspable and adapted to enable a length of the elongate tube to be inserted
5 into the tissue mass;
6 b. a rod having a length which is slidably received in the central bore of the
7 elongate tube, the rod being moveable distally with respect to the elongate
8 tube from a first position; and
9 c. four anchor members, with one anchor member being associated with each
10 aperture of the elongate tube, each of the anchor members being connected
11 to the rod for movement therewith such that a majority of the length of each
12 anchor member is received within the central bore of the elongate tube when
13 the rod is in its first position and each anchor member moves outwardly from
14 its associated aperture to assume a curved configuration to facilitate
15 stabilization of the tissue mass when the rod is moved distally.

1 93. (New) A method of removing a tissue mass from a tissue, comprising:

- 2 a. providing a tissue anchor comprising an elongate tube having a distal end
3 and a plurality of apertures; a manually controllable actuator; and a plurality
4 of anchor members operatively connected to the actuator;
5 b. advancing the distal end of the elongate tube into the tissue mass to a
6 desired location;